

FIG. 1

U.S. Patent Office
Washington, D.C. 20540




FIG. 2

FIG. 3 is a block diagram of a user interface 300. The user interface 300 includes a header 302, a main content area 301, and a footer 304. The header 302 includes a logo 306, a user name field, a TV button, a Mail button, a Browser button, and a Help button. The main content area 301 displays channel and network call letters, program title, and current time. The footer 304 includes a logo 306, a user name field, a TV button, a Mail button, a Browser button, and a Help button.




FIG. 3

Bob Nast Traveler
Channel 31, DISC
1:02pm 02/28/00




FIG. 4

FIG. 5 is a block diagram of a user interface 500. The user interface 500 includes a logo 306, a user name field 302, a TV field 302, a mail field 302, a browser field 302, a help field 302, and a context sensitive header 304. The context sensitive header 304 includes a family field 301, a user #2 field 301, a user #3 field 301, a user #4 field 301, a manage users field 301, and a settings field 301. The user sub menu 502 is located within the context sensitive header 304.




FIG. 5




FIG. 6

FIG. 7 is a block diagram of a user interface for a television system. The interface includes a top navigation bar 306, a main content area 301, and a bottom navigation bar 302. The top navigation bar 306 contains a logo 306, a user name field, and a TV button. The main content area 301 displays a search bar 704 and a stay on channel button 706. The bottom navigation bar 302 contains a mail button, a browser button, and a help button.





FIG. 7



Bob234

Surf


TV

Mall

Help

Change Day

Search



Nickelodeon, Channel 18
Scruffy kids torment their parents
and family dog.

	6:30pm	7:00pm	7:30pm
grats	Doug	Hey Arnold!	
A*S*H	Healthy Kids	Picket Fences ▲	
me Savvy	How-2 Crew	Hometime	
V Jams	Reindeer	BeatSuite	
rewsters Millions		▲	

FIG. 8

FIG. 9 is a block diagram of a user interface 900 for a device 300. The user interface 900 includes a context sensitive header 301, a logo 306, a user name 302, a TV 302, a mail 302, a browser 302, and a help 302. The context sensitive header 301 includes a home button 902, a user defined 1 button 902, a user defined 2 button 902, a more button 902, a go to button 902, a favorites button 902, and a search button 902.




FIG. 9




FIG. 10




FIG. 11

Handwritten text at the top of the page, possibly a header or page number, which is mostly illegible.




Fig. 12

Fig. 13 is a block diagram of a system 1300 for providing a user interface to a television set 1301. The system 1300 includes a television set 1301, a user interface 1302, and a user interface 1304. The user interface 1302 is connected to the television set 1301 and the user interface 1304. The user interface 1304 is connected to the television set 1301 and the user interface 1302. The user interface 1302 is connected to the television set 1301 and the user interface 1304. The user interface 1304 is connected to the television set 1301 and the user interface 1302.




Fig. 13




Fig. 14




FIG. 15




Fig. 16




FIG. 17




FIG. 18




Fig. 19